

Index

- Balance space, 25, 73
- Border surface, 59

- Capital recovery factor, 79, 152
- Carbon tax, 3
- Cascade utilization, 2
- Combined cooling, heating, and power system, 2
 - absorption only, 51
 - building cooling heating and power, 1
 - hybrid chillers, 70
 - hybrid chillers and ORC, 141
 - large-scale, 23
 - limited capacity, 74
 - medium-scale, 22
 - micro-scale, 17
 - small-scale, 20
 - unlimited capacity, 70
- Combined heating and power system, 1

- Electric cooling to cool load ratio, 70, 71, 122, 145
- Energy hub, 87, 120
 - backtracking, 87
 - bifurcation, 87
 - conversion matrix, 91, 92
 - coupling matrix, 87
 - dispatch factor, 87, 90, 92
 - absorption chiller, 91
 - boiler, 90
 - electric chiller, 91
 - heating unit, 91
 - PGU, 90
 - user, 91
- dispatch matrix, 89
 - absorption chiller, 91
 - boiler, 91
 - electric chiller, 91
 - heat recovery system, 91
 - heating unit, 91
 - PGU, 90
- efficiency matrix, 88
 - absorption chiller, 89
 - boiler, 89
 - electric chiller, 89
 - heat recovery system, 89
 - heating unit, 89
 - PGU, 88
- junction, 87
- Equal-Load Interface, 60
- Evaluation criteria, 54, 78, 93, 152
 - annual EC function, 80
 - annual total cost, 25, 130
 - carbon dioxide emissions, 25, 55, 78, 93, 130, 152
 - carbon dioxide emissions reductions, 79, 104

- Evaluation criteria (*continued*)
 - criteria weights, 56, 79, 93, 104, 130
 - hourly EC function, 79, 93, 104
 - hourly total cost, 93
 - hourly total cost savings, 79, 103
 - operational cost, 55, 78, 152
 - primary energy consumption, 25, 54, 78, 93, 130, 152
 - primary energy savings, 79, 103
- Facility sizing, 30
- Greenhouse gas emissions, 1, 2
- Heating, ventilation, and air conditioning, 3
- Hypothetical building, 60, 80, 97, 124, 152
- Input-output mapping, 87
- Load forecasting, 118
- Match, 70–72, 146
- Operation strategy, 25, 92, 119
 - balance-space-based optimal matching, 74
 - CCHP-ORC, 146
 - normal load case, 146, 147
 - overload load case, 148–151
 - electric demand management, 25
 - energy-hub-based optimization, 92, 120
 - convexification of equality constraint, 108
 - convexification of inequality constraint, 108
 - convexification of objective function, 107
 - exact penalty formulation, 106
 - feasible initial point, 97
 - line search, 97
 - non-convex equality constraint, 93, 105
 - non-convex inequality constraint, 95, 106
 - sequential quadratic programming, 87, 97
 - following electric load, 25, 52, 53, 71
 - following thermal load, 25, 53, 54
 - hybrid electric-thermal load, 50
 - optimal switching, 56
 - post-strategy, 120
 - thermal demand management, 25
- Optimal PGU capacity, 80
- ORC output to electric load ratio, 145
- Ordinary least squares, 114
- Organic rankine cycle, 141, 143
- Output threshold, 96
- PGU electric load fraction, 72, 143
 - threshold, 72
- Power to heat ratio, 57, 140, 145
- Prime mover, 4
 - combustion turbine, 6
 - fuel cell, 10
 - micro-turbine, 7
 - reciprocating internal combustion engines, 4
 - steam turbine, 6
 - stirling engine, 9
- Redundant electricity, 74
- Reliability, 3
- Separation production, 1, 51
 - energy flow, 51
- Sold back, 32, 55
- System efficiency, 1
- Thermal gap, 74
- Thermally activated technology, 1, 11
 - absorption chiller, 13
 - absorption process, 13
 - separation process, 14
 - adsorption chiller, 15
 - desiccant dehumidifier, 16
- Time complexity, 127

- Time series model, 113
 - autoregressive, 113, 117
 - autoregressive integrated moving average, 113
 - autoregressive moving average, 113
 - quadratic, 134
 - autoregressive moving average with exogenous inputs, 113, 115
 - autocorrelation, 125
 - bias, 118
 - correlogram, 125
 - information vector, 116
 - instrument variable, 114, 115
 - instrument variable estimation, 115
 - lag, 125, 126
 - observation point, 116
 - OLS-TSRLS, 114
 - ordinary least squares, 116
 - parameter vector, 116
 - partial correlation, 125
 - quadratic, 137
 - subsystem, 117
 - two-stage recursive least squares, 116
- bias, 125
- mean absolute error, 125
- mean absolute percentage error, 125
- mean square prediction error, 125
- moving average, 113, 117
- Trigeneration system, 1
- Two-stage recursive least squares, 114

WILEY END USER LICENSE AGREEMENT

Go to www.wiley.com/go/eula to access Wiley's ebook EULA.