

Mechanics of Accuracy in Engineering Design of Machines and Robots

Volume I: Nominal Functioning and
Geometric Accuracy

Vladimir T. PORTMAN

Ben-Gurion University of the Negev, Beer Sheva, Israel



© 2018, The American Society of Mechanical Engineers, 2 Park Avenue, New York, NY 10016, USA (www.asme.org)

All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

INFORMATION CONTAINED IN THIS WORK HAS BEEN OBTAINED BY THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS FROM SOURCES BELIEVED TO BE RELIABLE. HOWEVER, NEITHER ASME NOR ITS AUTHORS OR EDITORS GUARANTEE THE ACCURACY OR COMPLETENESS OF ANY INFORMATION PUBLISHED IN THIS WORK. NEITHER ASME NOR ITS AUTHORS AND EDITORS SHALL BE RESPONSIBLE FOR ANY ERRORS, OMISSIONS, OR DAMAGES ARISING OUT OF THE USE OF THIS INFORMATION. THE WORK IS PUBLISHED WITH THE UNDERSTANDING THAT ASME AND ITS AUTHORS AND EDITORS ARE SUPPLYING INFORMATION BUT ARE NOT ATTEMPTING TO RENDER ENGINEERING OR OTHER PROFESSIONAL SERVICES. IF SUCH ENGINEERING OR PROFESSIONAL SERVICES ARE REQUIRED, THE ASSISTANCE OF AN APPROPRIATE PROFESSIONAL SHOULD BE SOUGHT.

ASME shall not be responsible for statements or opinions advanced in papers or... printed in its publications (B7.1.3). Statement from the Bylaws.

For authorization to photocopy material for internal or personal use under those circumstances not falling within the fair use provisions of the Copyright Act, contact the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923, tel: 978-750-8400, www.copyright.com.

Requests for special permission or bulk reproduction should be addressed to the ASME Publishing Department, or submitted online at <https://www.asme.org/shop/books/book-proposals/permissions>

ASME Press books are available at special quantity discounts to use as premiums or for use in corporate training programs. For more information, contact Special Sales at CustomerCare@asme.org

Library of Congress Cataloging-in-Publication Data

Names: Portman, V. T. (Vladimir Teodorovich) author.

Title: Mechanics of accuracy in engineering design of machines and robots / Vladimir T. Portman.

Description: New York : ASME Press, 2018- | Includes bibliographical references and index. Contents:

Volume I. Nominal functioning and geometric accuracy.

Identifiers: LCCN 2017049008 | ISBN 9780791861615

Subjects: LCSH: Machinery--Design and construction. | Robots--Design and construction.

Classification: LCC TJ230 .P625 2018 | DDC 620/.0042--dc23

LC record available at <https://lcn.loc.gov/2017049008>

Series Editor's Preface

Dear Reader,

The ASME Press Robotics Engineering Book Series continues to present research and engineering accomplishments in the key areas of robotics and mechanisms. This time, I am delighted to introduce a new book by Professor Vladimir T. Portman - *Mechanics of Accuracy in Engineering Design of Machines and Robots*.

Professor Portman has been a longtime collaborator of ASME Press. He is a member of the Advisory Group at the ASME Robotics Engineering Book Series. His first book on *Accuracy of Machine Tools* was published by ASME Press in 1988.

This new monograph offers a comprehensive study on accuracy as an essential problem in engineering design of machines and robots. The book presents a detailed consideration and mathematical analysis of the whole range of technical issues related to accuracy, including accuracy models and methods of assessment, form-shaping functions of various manipulators, kinematic accuracy and error analysis, and many others. The subject-matter of the book is a necessary component of mechanical engineering education.

I believe this work by Professor Portman has laid a technical foundation for advanced engineering and manufacturing of future robotic systems and machines. The book can be equally useful for researchers and graduate students, university professors teaching engineering and technological courses, and engineers and technologists in industry.

The Robotics Engineering Book Series is committed to both assisting eminent scholars in publishing their findings and introducing outstanding new researchers to the world of books in Robotics. We look forward to close collaboration with researchers and engineers around the world.

Vladimir V. Vantsevich, ScD, PhD, ASME Fellow
Founding Editor, ASME Press Robotics Engineering Book Series

November 29, 2017

ASME Press Robotics Engineering Book Series

Advisory Group Members

Professor Nikos A. Aspragathos
University of Patras, Greece

Professor Kevin Deng
Jilin University, China

Professor Azim Eskandarian
Virginia Polytechnic Institute and
State University, USA

Professor Qiaode (Jeffrey) Ge
Stony Brook University, USA

Dr. Davor Hrovat
Ford Motor Company, USA

Dr. Sangbae Kim
Massachusetts Institute of Technolo-
gy, USA

Professor Venkat N. Krovi
Clemson University, USA

Professor Pierre M. Laroche
South Dakota School of Mines and
Technology, USA

Professor (Emeritus) Donald L. Margolis
The University of California at Davis,
USA

Professor Michael McCarthy
The University of California at Ir-
vine, USA

Elena Messina
National Institute of Standards and
Technology, USA

Professor (Emeritus) Robert L. Norton
Worcester Polytechnic Institute,
USA

Professor (Emeritus) Vladimir Portman
Ben-Gurion University of the Negev,
Israel

Dr. Liu Qiao
3M Corporate Research Laboratory,
USA

Professor Bahram Ravani
The University of California at Davis,
USA

Professor Moshe Shoham
Technion - Israel Institute of Tech-
nology, Israel

Professor Delbert Tesar
The University of Texas at Austin,
USA

David J. Thomas
US Army TARDEC, USA

Professor Dawn Tilbury
The University of Michigan, USA

Professor Steven A. Velinsky
The University of California at Davis,
USA

Professor Danwei Wang
Nanyang Technological University,
Singapore

Contents

Series Editor's Preface	iii
Foreword	xiii
Acknowledgement	xvii
1. Problem of accuracy	1
1.1 Definitions and qualitative description	1
1.2 Accuracy development: milestones	4
1.3 Accuracy of a part	8
1.3.1 Dimensional (parametric) tolerancing	8
1.3.2 Geometrical tolerancing	13
1.3.3 Waviness and roughness of the machined surface	13
1.3.4 Abbe errors	17
1.3.5 Standardization	19
1.4 Effect of manufacturing accuracy on operation of machine components	21
1.4.1 Accuracy of fixed joints	21
1.4.2 Load-carrying capacity of toothed gears	24
1.4.3 Bearing units	26
1.4.4 Threaded joints	27
1.5 Error interrelationships in machine structures	28
1.5.1 Error accumulation in serial-kinematics machines	28
1.5.2 Error averaging in parallel kinematics machines	32
1.6 Conclusion	35
References	35
2. Accuracy-associated models	37
2.1 Models of machine structure	37
2.1.1 Working machine and working process	37
2.1.2 Form-shaping system: description	40
2.2 Accuracy calculation	43
2.2.1 Differential method of accuracy evaluation	43
2.2.2 Variational method of accuracy evaluation	46
2.3 Book structure	48
References	50
Part I: Model of nominal functioning	
3. Form-shaping function: mathematical formulation	51
3.1 Geometric and kinematic subjects	51
3.1.1 Rigid body	51
3.1.1.1 Coordinate frame and points	51
3.1.1.2 Body finite spatial displacement	52

3.1.2	Lines in 3-D space	56
3.1.2.1	Straight line	56
3.1.2.2	Curves in 3-D space; parametric representation	57
3.1.2.3	Circle	59
3.1.2.4	Helical line	61
3.1.3	Surfaces in 3-D space	64
3.1.3.1	General formulation	64
3.1.3.2	Plane	65
3.1.3.3	Cylinders	67
3.1.3.4	Sphere	69
3.2	Form-shaping system	70
3.2.1	Kinematics and structure	70
3.2.1.1	Kinematic chain	70
3.2.1.2	Coordinate code and motion identifiers	72
3.2.1.3	Arrangement code	74
3.2.1.4	Example: Codes of serial-type machines	75
3.2.1.5	Example: Codes of parallel- and hybrid-kinematics machines	77
3.2.2	Geometric and kinematic parameters	78
3.2.2.1	Parameters of relative position and orientation	79
3.2.2.2	Model of active element (tool)	79
3.2.2.3	Model of the target elements and the AE-TE contact	82
3.3	Form-shaping function formulation	84
3.3.1	Mathematical technique	84
3.3.1.1	Introduction	84
3.3.1.2	Homogeneous coordinates and their transformations	86
3.3.1.3	Homogeneous transformation matrices (HTM)	90
3.3.1.4	HTMs of elementary motions	91
3.3.1.5	Multi-parametric matrix: Expression through elementary HTMs	95
3.3.2	Synthesis and applications of the Form-Shaping Function	97
3.3.2.1	Manipulation matrix	97
3.3.2.2	FSF synthesis	99
3.3.2.3	FSF features	100
3.3.2.4	FSF-based choosing machine architectures	101
3.4	Conclusion	104
	References	104

4. FSF of serial-kinematics systems	105
4.1 FSF and position analysis	105
4.2 Serial-kinematics robots	106
4.2.1 Planar articulated manipulators	106
4.2.1.1 FSF of the 2-DOF manipulator	106
4.2.1.2 FSF of the 3-DOF manipulator	108
4.2.1.3 FSF of the SCARA arm robot	110
4.2.1.4 FSF of the Scorbot robot	113
4.2.1.5 FSF of the spherical robot	116
4.3 Serial-kinematics machine tools	118
4.3.1 Turning machines	118
4.3.1.1 FSF of the lathe	118
4.3.1.2 FSF of the turning center	121
4.3.2 Multi-axis machines	125
4.3.2.1 XYZ triplet in 3-axis machine	125
4.3.2.2 FSF of the 3-axis machine tools	128
4.3.2.3 FSF of the 5-axis machine tools	132
4.3.3 Gearing machines for spur shaping	139
4.3.3.1 FSF of the rack-cutter machine	139
4.3.3.2 FSF of the gear-shaping machine for spur shaping	141
4.4 Conclusion	143
References	143
5. FSF of parallel- and hybrid-kinematics machines	145
5.1 General description	145
5.1.1 Main features	145
5.1.2 PKM examples	148
5.2 Position analysis of the parallel-kinematics systems	155
5.2.1 Layout and inverse kinematics	155
5.2.2 Planar 3-RRR manipulator	157
5.2.2.1 Layout and geometry	157
5.2.2.2 Inverse kinematics	159
5.2.3 Gough-Stewart platform: inverse kinematics problem	162
5.2.3.1 Algorithm	162
5.2.3.2 Partial cases: The 6–3 and 3–3 GSP	166
5.2.4 Direct kinematics	168
5.3 FSF formulation	172
5.3.1 FSF of the hexapod-based milling machine	172
5.3.2 FSF of tripod-based hybrid-kinematics machine	175
References	178

6. Machine setup	181
6.1 Problem formulation	181
6.1.1 Kinematic setup equations	181
6.1.2 Setup conditions	182
6.2 Constraint synthesis	185
6.2.1 Constraint classification	185
6.2.2 Functional constraints	185
6.2.2.1 Definition	185
6.2.2.2 Setup of the thread-cutting kinematic chain	186
6.2.2.3 Processing the sculpture (free form) surfaces	187
6.2.3 Enveloping constraints	190
6.2.4 Implicit constraints	191
6.2.5 Setup algorithm	193
6.3 Setup of multi-axis machines	194
6.3.1 Cartesian robot	194
6.3.2 CMM: measurement by probe with spherical tip	195
6.3.3 CNC machine tools: 2.5-axis machining	199
6.3.4 CNC machine tools: 3-axis machining	206
6.3.5 Setup of the 5-axis machine with swivel-tilt head	212
6.3.5.1 General	212
6.3.5.2 Setup for end milling	213
6.3.5.3 Plane milling by face mill	226
6.3.6 5-axis machines with trunnion rotary table	233
6.4 Lathe setup	237
6.4.1 The FSF and constraints	237
6.4.2 Machining by the single-point tool	239
6.4.3 Machining by the profile cutter	240
6.4.3.1 Formulation	240
6.4.3.2 Machining bodies of revolution	242
6.4.3.3 Helicoid machining	243
6.5 Setup of the gearing and threading machines	249
6.5.1 Setup of rack-cutter machine	249
6.5.2 Grinding a helical surface by tapered wheel	254
6.6 Conclusion	257
References	258
7. Kinematic setup of robots	259
7.1 Serial-type kinematics robots	259
7.1.1 Setup of the planar 3-DOF RRR manipulator	259
7.1.2 Spherical robot	263
7.1.3 Setup of the Scorbot robot	269

7.2	Setup of parallel- and hybrid-kinematics machines	276
7.2.1	Setup procedure	276
7.2.2	Setup of the hexapod-based PKM	277
7.2.3	Setup of the tripod-based hybrid-kinematics machine	280
7.3	Conclusion	286
	References	286
<i>Part II: Geometric and kinematic accuracy</i>		
8.	Error budget	287
8.1	Mathematical technique	287
8.1.1	Infinitesimal displacements and infinitesimal matrices	287
8.1.1.1	Error smallness and Abbe errors	287
8.1.1.2	Error matrix: standard form	289
8.1.1.3	Features of the error matrix	290
8.1.1.4	Axis and angle of small rotation	293
8.1.2	Position and orientation errors	295
8.1.3	Displacements of the body point and the Plücker coordinates of the line	296
8.1.3.1	Displacement along the given direction	296
8.1.3.2	Jacobian definition and application	297
8.1.3.3	Planar case	299
8.2	Error budget	300
8.2.1	Manipulation errors	300
8.2.2	Error budget of the body point position: vector representation	302
8.2.2.1	Direct form of error budget	302
8.2.2.2	Standard form of the error budget	305
8.2.2.3	Linear expansion of the budget	306
8.2.3	Error budget of the body point position: scalar presentation	307
8.2.4	Constraint variation	309
8.2.5	Statistical evaluation	309
8.2.6	Diagnostic procedures	311
8.3	Summary	312
8.3.1	Main equations	312
8.3.2	Algorithm of accuracy evaluation	313
8.4	Conclusion	314
	References	314

9. Accuracy of an axis	315
9.1 Linear motion stage	315
9.1.1 Structure	315
9.1.1.1 Guideways	315
9.1.1.2 Linear drive	316
9.1.2 Linear stage accuracy	320
9.1.2.1 Linear stage errors: definitions	320
9.1.2.2 Error measurement and evaluation	321
9.1.2.3 Guideways' accuracy	327
9.1.2.4 Analysis of the guideways form deviations	329
9.1.3 Analysis of axis accuracy with experimental validation	331
9.1.3.1 Accuracy components	331
9.1.3.2 Issues of axial errors	331
9.1.3.3 Backlash components	334
9.1.3.4 Tests of position accuracy	336
9.2 Geometric accuracy of spindle unit	339
9.2.1 Structure and model	339
9.2.2 Error analysis	341
9.3 Workpiece locating	342
9.3.1 The 3-2-1 locating principle	342
9.3.2 Workpiece locating during centerless grinding	346
References	348
10. Infinitesimal kinematics of serial-kinematics machines	349
10.1 Error propagation: serial-type robots	349
10.1.1 Planar 2-DOF (RR) manipulator	349
10.1.2 Planar 3-DOF (RRR) manipulator	352
10.1.3 SCARA arm robot	357
10.1.4 Spherical robot	359
10.1.5 Scorbot robot	360
10.2 Error propagation: lathe	362
10.2.1 Error budget	362
10.2.1.1 Kinematic chain version	362
10.2.1.2 Structural chain version	363
10.2.2 Error budgets for different setups	365
10.2.2.1 Formulation	365
10.2.2.2 Cylinder turning	367
10.2.2.3 Face turning	372
10.2.2.4 Sphere machining	373

10.3	Error propagation: multi-axis machine tools	375
10.3.1	The XYZ translational triplet	375
10.3.2	Five-axis machines	376
10.3.2.1	Machine with the tilting-swivel spindle head	376
10.3.2.2	Five-axis machine with trunnion rotary table	378
10.3.3	Case study: machining of cylindrical surface	379
10.3.3.1	Cylinder profiling on contour grinding machine	379
10.3.3.2	Experimental investigation of the positioning system	384
10.4	Structural Jacobian matrix of serial-kinematics systems	385
10.5	Diagnostics procedure: methodological example	388
	References	390
11.	Infinitesimal mechanics of the PKM	391
11.1	Position accuracy	391
11.1.1	Position error formulation: Jacobian matrix	391
11.1.2	Lower-mobility parallel structures	392
11.1.3	Gough-Stewart platform	394
11.2	Singularity problem	397
11.2.1	General description	397
11.2.2	Singular configurations of the GSP	400
11.2.2.1	Central configurations of the 3-3 GSP	400
11.2.2.2	Hunt-type singular configuration of the 3-3 hexapod	403
11.2.2.3	Fichter's singular configuration of the GSP	408
11.2.2.4	Architectural singularity	410
	References	410
12.	Non-linear problems of machine accuracy	411
12.1	Statement of the problem	411
12.2	Double-FSF approach	413
12.2.1	Distance between nominal and actual surfaces	413
12.2.2	Layout errors of gear grinding with flat wheel	415
12.2.2.1	Description of the machine	415
12.2.2.2	FSF of the nominal machined surface	417
12.2.2.3	FSF of the actual machined surface	419
12.2.2.4	Accuracy problem	420
12.2.2.5	Experimental investigation and verification	423

12.3	Higher order approximation approach	426
12.3.1	Mathematical formulation	426
12.3.2	Methodological example: hyperboloid turning	428
12.3.3	Real-life application: setup of internal grinding of bearing ring	432
12.3.3.1	Machining scheme	432
12.3.3.2	Setup problem	436
12.4	Conclusion	440
	References	440
Appendix 1: Function atan2		441
Appendix 2: Synthesis of the FSF using Mathematica® software system		442
A2.1	Basic HTM matrices of the FSF theory	442
A2.1.1	Matrices of the elementary motions	442
A2.1.2	The error matrix	442
A2.1.3	Saving main matrices	442
A2.1.4	Basic HTM matrices for the planar (2-D) case	443
A2.1.5	Transformation of the HTM matrices and vectors to the third order form	443
A2.2	Examples: Solutions of problems considered in this book	444
A2.2.1	Synthesis of manipulation matrix, Eq. (4.38)	444
A2.2.2	Synthesis of the form-shaping function, Eq. (4.41)	445
A2.2.3	Setup (Table 6.4)	445
A2.2.4	Geometrical accuracy of the 2-DOF (RR) manipulator, Eq. (10.1-6)	447
A2.2.5	Inverse kinematics of the GSP platform, Eq. (5.38-40)	448
A2.2.6	Error matrix E and Jacobian J_t for 2RR robot	450
A2.2.7	Diagnostic procedure: Computation of Eq. (10.174)	450
A2.2.8	The Fichter's singular configuration of the 3-3 GSP matrix (Fig. 11.13)	451
Appendix 3: Some symbols and operations from the Mathematica® software system		454
A3.1	Global objects	454
A3.1.1	Input and output	454
A3.1.2	Algebraic symbols	454
A3.2	Matrix and vector synthesis	454
A3.3	Operations on vectors and matrices	455
Abbreviations		457
Index		459
About the author		471

Foreword

Accuracy is one of the fundamental characteristics and one of the most important indexes of the quality of machines and robots. It significantly defines and, in turn, depends on their structure and applications. Accuracy provision, maintenance, and enhancement are permanently hot problems in modern manufacturing and manufacturing science. In the very beginning, the accuracy was considered as a purely technological problem. Both academic and engineering approaches lay with development and standardization of the metrological requirements, interchangeability, and technical measurements. In the design-related disciplines, accuracy analysis was reduced to the tolerances and fit theory [1].

As the machine structures and machine kinematics have become more and more complicated, both from structural and informativeness viewpoints, the accurate manufacture of machine parts and their dimensional chains is not sufficient for providing machine accuracy, and there is a need to consider a machine as a whole subject in its own right [2, 3]. Error propagation has to be considered from the active element AE (cutting tool, measuring probe, working instrument fitted to the end-effector, etc.) throughout all machine structure up to elements to be processed – target element (TE) – taking into account not only geometry but also kinematics errors, static and dynamic deformations, and so on. This approach is of fundamental importance for industrial robots (IR), machine tools, and coordinate measuring machines (CMM), whereat the multi-coordinate structure with complicated kinematics is accompanied by heavy demands on accuracy and productivity.

General features set off machine tools, IRs, and CMMs in a special group – the precision working machines (PWM). Interrelationships between the manipulating system and the TE and AE of the PWMs are introduced by means of an integrated object called a *form-shaping system* (FSS). The form-shaping process is dedicated to producing and/or reproducing the form and shape¹ of the TE using two types of input information: set of kinematic motions and geometry of AE. The FSS of the PWM is featured by combination of high requirement for accuracy and productivity and complicated trajectories of the AE relative to TE. Hence, the PWM simultaneously provides both the general *form* of the TE and its accurate *shape*. For example, in the machine tools, the process results in predetermined transformation of the form and shape of the blank or semi-finished item into the designed product fixed by the drawing.

The features of the machine tool FSS are methodologically formalized by means of a mathematical model called the form-shaping function (FSF) derived in the book *Accuracy of Machine Tools* [4]. Here, the FSF-based approach is extended to all PWM and applied not only to serial-kinematics machines, but also to machines with parallel and hybrid kinematics. Mathematically, the FSF presents a product of the manipulation matrix, modelling a set of the system movements, by vector of the system's AE associated with setup-related

¹According to *Longman Dictionary of Scientific Usage* [Goldman, A., Payne E.M.F., Longman Group, Ltd, Harlow, 1979, p. 13], “the form is the general overall character of an object.” On the other hand, “the form is generalization of shape, e.g., each horse has its individual shape, but there is a large number of possible shapes that have the form of a horse. A knowledge of the form of a horse allows us to distinguish it from the other animals, and a knowledge of the shape of a horse allows us to distinguish it from the other horses”.

constraints among system parameters. In this connection, the FSF models the machine hardware and bridges the real data processing done at the hardware level with virtual procedures carried out by the computerized control systems.

The effective tool for machine motion modeling is the matrix technique for multistage coordinate transformations from the AE to TE, and vice versa. The technique allows unification of a large body of data relating to errors of different physical natures aimed at their summation and further comparison with allowable values of the performance indexes formulated at all stages of machine design. As a native widening, the same matrix technique is applied to studying infinitesimal displacements, and the fact of their smallness allows significant simplification of the PWM accuracy-related problems [4–6].

Despite the fact that the matrix technique was successfully long used for a wide spectrum of industrial problems in the theory of gearing [7], mechanism and machine theory [8–10], machine tools and manufacturing technology [4–5], and robotics [11–14], in the last few decades great progress has been made by commercialization of powerful computer instruments – general software systems for mathematical and other applications – carrying out both traditional calculations and non-trivial intellectual procedures such as symbolic computations, graphical presentation of results, etc. In this book, the Mathematica® software system [15] is systematically applied to overcome mathematical and technical difficulties in the considered problems.

In terms of Mathematica, the synthesis of the FSF is reduced to ordered multiplication of a set of matrices selected (with possible repetitions) from six elementary matrices modelling elementary motions of rigid bodies. As applied to the FSF of real machines and robots, the set is combined according to coordinate codes of the machine fixing the number, nomenclature, and order of kinematic motions. For accuracy-related problems, a standard matrix of geometric and kinematic errors is added to six abovementioned matrices. The final step of the machine functioning – a setup for a specified operation – is formalized through simultaneous equations of different complexity connecting system parameters. This approach is successfully applied to the synthesis of both linear and non-linear models for serial-, parallel-, and hybrid-kinematics machines.

The book comprises the Introduction and four parts including 19 chapters with consecutive numbering, and three appendices. Each part combines a theoretical chapter with applications to machines and robots with different kinematic types. The formalized consideration is accompanied with application examples, which, as a rule, are explained with numerical solutions using realistic initial values.

In the *Introduction* (Chapters 1 and 2), the general approach to accuracy problems in manufacturing, especially to the PWM (IRs, machine tools, CMMs, etc.) accuracy is described, and basic definitions in the field are entered.

In *Part I* “Model of Nominal Functioning” (Chapters 3–7), geometric and kinematic problems relating to nominal, i.e., without external and internal disturbances, performance of the PWM are considered. After general FSS and FSF definitions, they are applied to the PWM of different kinematics types. The consideration is finished by setup problems, in which the theoretical approach is illustrated by various examples: industrial robots for welding and painting, lathes, milling machines, grinding machines, gear- and thread-cutting machines, CMMs, etc.

Part II “Geometric and Kinematic Accuracy” (Chapters 8–12) describes geometric problems and mathematical models related to actual (with disturbances) performance of PWMs with serial- and parallel-type kinematics. In Chapters 8–11, the linearized mathematical model – a budget of geometric and kinematic errors – is formulated using variation of nominal FSF and the standard form of error matrices. The developed approach is illustrated by some practical examples: error budgets of robots, machine tools, and CMMs. In Chapter 12, non-linear problems are considered by definition of two FSFs describing a pair of geometrically-closed surfaces, and some real-life examples are solved.

Part III “Stiffness-Related Accuracy Problems” (Chapters 13–16) consists of formulation of the static problems and synthesis of the stiffness-compliance matrices. The synthesis uses the Jacobian matrix obtained through transformation of the error budget expression from *Part II*. To overcome the difficulties caused by heterogeneous units of measurement of the stiffness matrix entries, a convenient performance index – the collinear stiffness value (CSV) – is applied. The CSV is used for natural stiffness evaluation in both regular and singular configurations, and the minimum CSV is applied to construct a machine workspace satisfying preliminary given stiffness limits. In particular, the CSV allows computation of a virtual protective barrier, keeping the machine from approaching the vicinity of singular configurations of the parallel-kinematics mechanisms. As examples, the CSV-based local and global stiffness features of the machines are simulated, investigated, and visualized. An approach to synthesis of the stiffness matrices for the closed chains and net of links is considered.

Part IV “Deterministic Metrology of Machines and Robots” consists of material relating to assessments and enhancement of the PWM accuracy. An approach of engineering metrology developed in the ISO and ASME standards based on coordinate methods is applied to enhance the PWM accuracy.

Appendices consist of the basic information about application of the Mathematica® software system for solution of typical analytical and numerical problems on accuracy of the PWM.

Generally, the book is built using the form-shaping function as a basic model allowing a unified approach for synthesis of the calculating model of the precision machine mechanics.

The book is issued in two volumes. Volume 1 includes Introduction, Parts I and II (Chapters 1–12), and hence, embraces the general accuracy definitions, nominal machine functioning models, and geometrical accuracy problems

The book is intended for machine and robot designers and researchers, university graduate and senior undergraduate students, and may be also useful for instructors in the mechanical engineering field for teaching processes.

References

- [1] Shigley, J.E., Mischke, C.R., Budynas, R.G, 2003, Mechanical Engineering Design, 7th ed., McGraw-Hill.
- [2] Hocken, R., “Machine Tool Accuracy”, Chairman, Report of Working Group 1 of the Machine Tool Task Force, Vol. 5, UCRL-52960-S, 1980.

- [3] Slocum, A., 1992, *Precision Machine Design*, Prentice-Hall, Englewood Cliffs, NY.
- [4] Reshetov, D. N., Portman, V. T., 1988, "Accuracy of Machine Tools", ASME Press, New York, NY, 304 pp.
- [5] Faux, I.D., Pratt, M.J., 1979, *Computational Geometry for Design and Manufacture*, Ellis Harwood, Chichester, UK.
- [6] Mooring, B.W., Roth, Z.S., Driels, M.R., 1991, *Fundamentals of Manipulator Calibration*, John Wiley, New York, 330 pp.
- [7] Litvin, F.L., 1968, *Theory of Gearing*, 2nd ed., Nauka, Moscow (*in Russian*).
- [8] Sheth, P.N. and Uicker, J.J., IMP (Integrated Mechanism Program), A Computer Aided Design Analysis System for Mechanisms and Linkages, ASME Journal of Engineering for Industry, May 1972, pp. 454-464.
- [9] Hunt, K.H. , 1978, *Kinematic Geometry of Mechanisms*, Clarendon Press, Oxford.
- [10] Dimentberg, F.M., 1978, *Theory of Screws and Its Applications*, Nauka, Moscow (*in Russian*).
- [11] Paul, P.R., 1981, *Robot Manipulators: Mathematics, Programming, and Control*, MIT Press.
- [12] Tsai, L-W., 1999, *Robot Analysis*, John Wiley & Sons, Inc., New York, NY.
- [13] Merlet, J.-P., 2006, *Parallel Robots*, 2nd ed., Kluwer Academic Publishers, Dordrecht, Netherlands.
- [14] Ceccarelli, M., 2004, *Fundamentals of Mechanics of Robotic Manipulation*, Kluwer Academic Publishers, Dordrecht, Netherlands.
- [15] Wolfram, S., 2003, *The Mathematica Book*, 5th ed., Wolfram Media, 1488 pp.

Acknowledgement

This work started in the Experimental and Research Institute for Metal Cutting Machine Tools (ENIMS), Moscow, USSR, one of the most qualified scientific institutes in the field of manufacturing technology in the former USSR, and continued in Ben-Gurion University of the Negev (BGU), Beer-Sheva, Israel. I have had the good fortune to work in both these organizations.

Prof. Dmitry Nikolaevich Reshetov (1908-2000), advisor of my Ph.D. thesis and co-author of our book *Accuracy of Machine Tools* was one of the persons establishing the field of my scientific interests. Prof. Yugene Rivin (1932-2011), Wayne State University, Detroit, Mi, USA, and Prof. Roland Weill (1923-2013), Technion - Israel Institute of Technology, Haifa, Israel, were permanent sparring partners in discussing our common scientific problems.

Two conferences organized by Prof. Ichiro Inasaki (KEIO University, Japan, now Shubu University) in collaboration with Prof. Takeshi Kishinami, dedicated to this book's concepts, helped me to clarify the book's objectives. I am grateful to Prof. Alexander Slocum for his valuable comments relating to my papers and discussions about this book subject-matter.

My co-authors Victoria G. Shuster, M.Sc. in Mathematics and M.Sc. in Engineering science, Prof. Ben-Zion Sandler (Ben Gurion University of the Negev, Beer Sheva, Israil), Dr. Emmanuil Kushnir, and my former students Dr. Yanina Rubenchick, Dr. Yair Shneor, and Dr. Vladimir Chapsky significantly contributed to the material of this book.

I express appreciation to copyeditor Edna Oxman for styling the manuscript.

Mrs. Mary Grace Stefanchik and Prof. Vladimir Vantsevich significantly helped me with preparation of the book publication.

And the last but not the least, my infinite gratitude for my wife Alla and family for their permanent help and support.

